Confused

In this project you will learn about how machine learning can make mistakes.

You'll train a machine learning model to recognise lemons and grapefruits.

To start with, you'll train it badly so that it confuses the two.

When you understand why that happened, you'll train it again so that it is harder to confuse.





This project worksheet is licensed under a Creative Commons Attribution Non-Commercial Share-Alike License http://creativecommons.org/licenses/by-nc-sa/4.0/

- **1.** Go to <u>https://machinelearningforkids.co.uk/</u> in a web browser
- **2.** Click on "Log In" and type in your username and password *If you don't have a username, ask your teacher to create one for you. If you can't remember password, ask your teacher to reset it for you.*
- **3.** Click on "**Projects**" on the top menu bar
- **4.** Click the **"+ Add a new project**" button.
- **5.** Name your project "confused". Set it to learn how to recognise "images". Click the "Create" button

ml-for-kids	Welcome	About	Projects	Worksheets	News	Help	Log Out	
				Start	a ne	ew m	achine	earning project
Project Name*	ised							
Recognizing*	3						Ţ	What type of thing do you want to teach the computer to recognise? For words, sentences or paragraphs, choose "text" For photos, diagrams and pictures, choose "images" For sets of numbers or multiple choices, choose "numbers"
								CREATE CANCEL

6. You should see "**confused**" in the list of your projects. Click on it.

7. Click the Train button. Image About Projects News Help Log Out Language "confused" Under the computer to recognise. Train Learn & Teot Make Train Learn & Teot Make

8. Click the "+ Add new label" button.



10. Click "+ Add new label" again and create a label called "lemon"

ml-for-kids Welcome About Projects Worksheets News	Help Log Out						
Recognising images as grapefruit or lemon							
< Back to project	+ Add new label						
grapefruit	lemon						
Drag pictures from other browser windows and drop them here	Drag pictures from other browser windows and drop them here						
🔗 www. 🗖 webcam 🖍 draw	🔗 www 🗖 webcam 🖍 draw						

11. Open a new browser window How to do this will depend on what web browser you're using, but it's probably going to be a menu like "File -> New Window"

12. Go to <u>https://machinelearningforkids.co.uk/datasets</u> in the new window.

That's the same web address as before, with "data" "sets" on the end.

Training Sets for Machine Learning for Kids projects

Use the links below to get training sets for Machine Learning for Kids projects.

<u>Confused</u>

- **13.** Click on the "Confused" link
- **14.** Choose "Training Set **A**" or "Training Set **B**" and click on it You can use either. **Don't** pick "Final Training Set" – you'll use that later.
- **15.** You should see pictures of grapefruits and lemons that you can use to train the computer.

Click on the "Display thumbnails" checkbox so you can see them all.



17. Drag the ten grapefruit pictures into the "grapefruit" bucket.18. Drag the ten lemon pictures into the "lemon" bucket.

ml-for-kids Welcome About Projects Worksheets News Help Log Recognising image	es as grapefruit or lemon	
< Back to project grapefruit	lemon	Add new label
& www 🗅 webcam 🖍 draw	Ø www ■ webcam ✓ draw	

- **19.** Click the "< **Back to project**" link
- 20. Click the "Learn & Test" button
- **21.** Click the "Train new machine learning model" button



- **22.** Wait for the training to complete. This might take a few minutes.
- **23.** Click the **"< Back to project**" link
- **24.** Click the "Make" button
- 25. Click the "Scratch" button



27. You should see new blocks in "More blocks" from your project.



28. Open the Confused project template

Beta 🌐 File 🔻 Edit 🔻 I	Project templates v	- + 3	(X 😗		
	Smart classroom		Scripts Bac	kdrops Sounds	1
	Smart classroom (short)	/	Motion	Events	
	Tourist Info		Looks	Control	
	Tourist Info (short)		Sound	Sensing	
	Headlines		Pen Data	Operators More Blocks	
	Snap				
	Mailman Max		switch backdro	p to backdrop1 -	
	Car or cup		switch backdro	p to backdrop1 - and	
	Back Bapar Saissora		next backdrop		
				affaat hu OD	
	Judge a book		change color •	effect by 25	
	Locate Larry		set color eff	ect to 🕕	
	Confused		clear graphic ef	ffects	
	Pac-Man		backdron n	ama	

29. Click the "test-1" sprite

Beta 🌐 File 🔻 Edit 🔻 🕹 👫	: X 0	
confused	Scripts Costumes Sounds	confused Save Project
	Motion Events Looka Control Sound Sensing Pen Operators Data More Blocks	x: -107 y: 92
1 0 1	show hide	
	twitch costume to training set B w next costume twitch backdrop to backdrop] •	
	change color = effect by (3) set color = effect 	
Sprites	change size by 10 et size to 53 % os to front os back () layers	



31. Click on the "Costumes" tab

Beta 🌐 File 🛛 Edit 🔻 🗘 👫	X X 9		
confused	Scripts Costumes Sour	nds	confused Save Project
456.0.2	New costume:	et A 🔊 🤨	Clear Add Import 책 해 공 +
	training set A 480x318		
	training set B 480x318		
		1.1.	

32. If you used "Training Set A", then click the "training set A" costume **Or** if you used "Training Set B", click the "training set B" costume instead



33. Click on the "test-2" sprite



34. If you used "Training Set A", then click the "training set A" costume **Or** if you used "Training Set B", click the "training set B" costume instead



35. Click on the "Scripts" tab



36. Enter the same script as before, this time in the "**test-2**" sprite You can save time by dragging the script you wrote before onto the test-2 sprite to make a copy of it.





38. Click the green flag

Your script will use the machine learning model you trained to recognise the two photos.



Why do you think the computer is getting this wrong?

Try to think of a reason for yourself before you read the next page!

You might find it helpful to look back at the training set you used and compare it with the test images in the Scratch project.

What is happening?

When you train a machine learning model, you're asking the computer to look at sets of photos for patterns.

It looks for what photos in each set have in common, and learns to recognise those patterns in new photos it is given.

You might want it to have recognise fruits, but the computer doesn't know that. It could spot patterns about the colour of the background, or whether the photo is blurry or focused, or whether the lighting is dark or bright, or many other things.

When it makes decisions based on recognising those patterns in new photos, it can get the wrong answer.

Training Set A

"grapefruits" – a set of **dark** images on a **wooden** background

"lemons" – a set of **light** images on a **cream** carpet background

Confused by testing with:

- A dark photo of a lemon on a wooden background
- A **light** photo of a grapefruit on a **cream** carpet background

Training Set B

"grapefruits" – a set of **sharp** focused images on a **wood** background

"lemons" – a set of **blurry** images on a **white** rug background

Confused by testing with:

- A **blurry** photo of a grapefruit on a **white** rug background
- A sharp focused photo of a lemon on a wooden background

39. Save your Scratch project *Click on "File" -> "Save Project"*



- **40.** Switch back to the training tool window
- **41.** Click the "< **Back to project**" link and then click the "**Train**" button





44. In the browser window with the training set pictures, click Back. This time, choose "**Final** Training Set"

If you didn't leave the window open before, open a new window now, go to <u>https://machinelearningforkids.co.uk/datasets</u> and go to "Confused"

"Confused" - Final Training Set This is a set of training images for the Machine Learning for Kids project " <u>Confused</u> ". Instructions for how to use it are in the <u>project worksheet</u> .							
☑ Display thumbnails (ir	Display thumbnails (instead of full-size pictures)						
Grapefruits							
•	•			٠	٠		
•	•			•			
Lemons							
•;				4	*		

45. Drag the new training images into your "lemon" and "grapefruit" buckets, like you did before.



- **46.** Click the "< **Back to project**" link
- **47.** Click the "Learn & Test" button
- **48.** Click the **"Train new machine learning model**" button, and wait for the model to finish training.
- **49.** Switch back to the Scratch window.
 If you accidentally closed it, you can get back to it by doing this:
 * Click the "< Back to project" link</p>
 * Click the "Make" button
 * Click the "Scratch" button
 - * Click the "**Open in Scratch**" button
 - * Open the Scratch project you saved before, with "File" -> "Load Project"

50. Run the scripts again with the new model *Click full-screen, then click the Green Flag. Does it get it right this time?*

What have you done?

Machine learning models learn to recognise patterns in what you use to train it.

If all photos in a set have the same background, or the same lighting, or the same focus level – then those can be patterns that the model uses to recognise pictures.

This time, you used a wider variety of photos to train the model.

For example, the "lemon" training photos were taken on different backgrounds, taken inside and outside, in light and dark, some in focus and some blurry. The only thing they all had in common was that they all had a lemon in there.

This meant it was much more likely that the pattern the computer spotted in the training photos was that there was a yellow fruit in the middle.

Variety in training data is essential when training a reliable model.

The "Russian Tank" problem

This worksheet is based on an old story told to Artificial Intelligence students called "The Russian Tank problem".

It's unclear whether or not it's a true story, as there are many different versions. Whether or not it's true, it's a useful way to teach an important lesson in training machine learning systems.

Here are two examples of how the story is told:

Spotting camouflaged Russian tanks

Once upon a time, the US Army decided to use machine learning to recognize tanks hiding behind trees in the woods. Researchers trained a machine learning model using photos of a woods without tanks, and photos of the same woods with tanks sticking out from behind trees.

It seemed to work, but in tests the model didn't do better than random guesses.

It turned out that in the researchers' training data set, photos of camouflaged tanks had been taken on cloudy days, while photos of plain forest had been taken on sunny days. The machine learning model had learned to recognise cloudy days from sunny days, instead of recognising camouflaged tanks.

Recognising American and Russian tanks

Once upon a time, the US Army tried training a computer to tell the difference between Russian and American tanks by the way they look. Researchers trained a machine learning model using photos they took of American tanks, and spy photos they collected of Russian tanks.

But when they tested it in the field, the machine learning model didn't do any better than randomly guessing.

It turned out that the researchers had photos of American tanks which were large, high-resolution and high-quality. But the long-distance spy photos of Russian tanks they were able to get were all blurry, low-resolution and grainy.

The machine learning model had learned to recognise the difference between grainy photos and high-quality photos, instead of Russian or America.